

Microbial Fuel Cell

A Green Approach For The Utilization Of Waste For The Generation Of Bioelectricity

[¹] Heena Syed, [²] Karthik MN, [³] Payal Verma

[¹][³] Department of Electronics and Communication Engineering, Dayananda Sagar University, Bangalore, India

[²] Department of Mechanical Engineering, Dayananda Sagar University, Bangalore, India

Abstract- Sustainability is a worldwide test. There is a requirement in each district of the world to put time and cash into creating answers to address the worldwide difficulty. The more we keep expending a bigger number of assets than the Earth can economically give, the less capable the Earth can take care of human demand later on. We are aware of the fact about the depletion of non-renewable resources such as fossil fuels, metals, and minerals that make a higher standard of living possible on Earth. Throughout the history of Earth, microbes have radically reshaped life on the planet, from creating the air we breathe to wiping out almost all life on Earth. A method of mass producing energy might be the innovative fact that a few specific bacteria even under high temperature and high CO₂ concentration, which is the present scenario, can produce compounds which can be further synthesized to create an alternative means of clean fuel. Further with the help of DNA mutation the rate of production and its efficiency can be multiplied by multi folds. A means of creating the perfect working conditions for these bacteria is easier and more effective than artificially generating alternative fuels in our own homes by using the waste food products which will generate electricity.

Index Terms— Microbial Fuel Cell; Renewable Sources; Sustainable energy; Energy Production.

INTRODUCTION

Microbes are imperceptible to your stripped eye, infinitesimal living being which may exist in its single-celled shape or in a settlement of cells. It is estimated that there are one trillion species of microbes on Earth, and 99.999 percent of them have yet to be discovered. We now understand that people are 90% microbial however just 10% human. The normal human has more than 100 trillion organisms in and on our body in which 44 unique sorts of microorganisms dwell on the lower arm, contrasted and 19 species living behind the ear.

There are three main types of microbe found on earth. They are:

1. Fungi.
2. Bacteria.
3. Viruses.

The different choices of ordinary vitality sources, power produced by microorganisms can be a critical wellspring of sustainable power source. The Microbial Fuel Cell (MFC) which harnesses this potential offers possibilities of extracting energy from a wide range of substrates from complex organic wastes to inorganic carbon dioxide. Thus, power age can be flawlessly combined with bioremediation and carbon dioxide sequestration. A microbial energy unit (MFC), or organic power device, is a bio-electrochemical framework that drives an electric current by utilizing

microorganisms and imitating bacterial associations found in nature [1-3].




Fig. 1 Fossilized bacteria from meteors.

Microbes are effective little animals (Fig. 1). They can discard contaminants, make us wiped out and furthermore help in delivering power. The microbial energy component (MFC) has increased much consideration in view of its capacity to create control from natural or inorganic mixes by means of microorganisms [4]. Around one hundred years prior, the innovation of creating power through microscopic

**International Journal of Engineering Research in Electronics and Communication
Engineering (IJERECE)
Vol 5, Issue 6, June 2018**

organisms was found, yet it didn't increase much consideration. Because of the capacity to change over substance vitality to electrical vitality, MFCs have numerous potential applications, for example, power age, bio-hydrogen creation, wastewater treatment and biosensor. In this manner, the quantity of concentrates concentrated on MFCs expanded extraordinarily since mid-1990s [5].

II. MICEROBIAL FUEL CELLS

MFC is a bioreactor that believers' concoction vitality display in the natural or inorganic compound substrates to electrical vitality through synergist responses of microorganisms as shown in Fig. 2. A MFC is a framework in which microorganisms change over synthetic vitality created by the oxidation of natural/inorganic mixes into ATP by successive responses in which electrons are exchanged to a terminal electron acceptor to produce an electrical current [6]. An ordinary MFC comprises of bio-anode and bio-cathode compartments, which are isolated by a cationic layer. Microorganisms live in the anode compartment, where they utilize natural mixes, for example, glucose which go about as electron benefactor. The digestion of these natural mixes produces electrons and protons. Electrons are then transferred to the anode surface. From anode, the electrons move to cathode through the electrical circuit, while the protons relocate through the electrolyte and afterward through the cationic layer. Electrons and protons are expended in the cathode by diminishment of solvent electron acceptor, for example, hexacyanoferrate or oxygen and acidic permanganate. Electrical power is saddled by putting a heap between the two cathode compartment [7-8]. Working, Principle And Structure

A. Working

The development and examination of MFCs requires learning at both logical and designing fields, extending from microbiology and electrochemistry to materials and ecological engineering [9] as shown in Fig. 3. The imperative element of the MFC is its capacity to create control from natural or inorganic mixes through microorganisms.



Fig. 2 Conversion process.

B. Principle

The MFC can remove electrons from the waste sustenance sources, for example, natural materials and nourish them into an electrical circuit to produce control for different applications [7] [10].

Steps:





Fig. 3 Steps involved in MFC.

C. Structure

The tank for the Microbial Fuel Cell is separated into two chambers: Aerobic and Anaerobic chamber. The Aerobic chamber has the admission of oxygen for oxidation process in the MFC [11]. The two chambers are isolated by utilizing a Semi penetrable film which permits just the hydrogen particle from the anaerobic chamber to go to the high-impact chamber and does not enable oxygen from the vigorous chamber to get into the anaerobic chamber [12]. The food is given in through an inlet in the anaerobic chamber as shown in Fig. 4.


The anaerobic chamber has a terminal that is adversely charged (Cathode) and the vigorous chamber has another anode that is decidedly charged (Anode). Platinum is an outstanding oxygen decrease impetus. But platinum is expensive so it needs to be either substituted by cheaper, non-noble metal catalysts (e.g. cobalt) or to be reduced in amount on the electrode. Microorganisms oxidize substrates in the anodic chamber to deliver electrons and protons, while creating carbon dioxide as an oxidation item. Electrons appended on anode (negative terminal) stream to the cathode (positive terminal) through an outer circuit. In the event that an impetus covered carbon anode is utilized, the broken up oxygen is the electron acceptor, and the cathodic response is:



Protons relocate over the proton trade layer to consolidate with electrons to frame water if oxygen is given or to shape ferrocyanide if ferricyanide is given. Subsequently, a

**International Journal of Engineering Research in Electronics and Communication
Engineering (IJERECE)
Vol 5, Issue 6, June 2018**

positive current spill out of the positive terminal to the negative terminal and this bearing is inverse to electron stream. This is the way MFCs create power through microorganisms. In a ferricyanide arrangement, plain carbon terminal uses ferricyanide as the electron acceptor and the cathodic response is:



MFCs produce energy of 43 mW/m² with broke up oxygen into Platinum-carbon cathode chamber and expressed that power densities in two-chamber MFCs are conceivable to be expanded by enhancements of cathode, for example, increment grouping of disintegrated oxygen [13-14].




Fig. 4 Microbial Fuel Cell.

III. APPLICATIONS AND ADVANTAGES

MFC has an extensive variety of utilizations, including filling in as family unit electrical generators and driving things, for example, little convenient electronic gadgets pontoons, vehicles, hardware in space and self-sustaining robots. MFC can fill in as family electrical generators and furthermore controlling things, for example, little convenient electronic gadgets water crafts. Individuals would have the capacity to create power in their homes [7], [15]. The power can be delivered all-round the year since waste and xenobiotics are promptly accessible consistently. This innovation will be useful for the general population living in creating nations, for example, Africa where colossal framework required for set of vitality generation plants isn't accessible. MFC will prompt tidy up of squanders and xenobiotic. Along these lines, it can be utilized as a substitute strategy for bioremediation.

IV. EXCEPTED RESULTS

The power density normalized by surface area is calculated by the formula of $P = E_{MFC}^2 / AR$. Where E_{MFC} is measured

voltage across the load, A is surface area of both sides of anodic electrode, R is the load [7], [15].

TABLE I. POWER OUTPUT

MEC input	Concentration	Power output
Acetate	800 mg/L	506 mW/m ²
Glucose	500-3000 g/L	3600 mW/m ²
Butyrate	1000 mg/L	305 mW/m ²
Domestic wastewater	210-220 mg/L COD	26 mW/m ²
Swine wastewater	8320±190 mg/L COD	261 mW/m ²
Artificial wastewater	300-3400 mg/L COD	170 mW/m ²
Carboxymethyl cellulose	1000mg/L	143 mW/m ²
Corn Stover	N/A	331 mW/m ²

V. LIMITATIONS AND FUTURE SCOPE

A. Limitations

1. The pH balancing is practically difficult.
2. Adding buffer salts (e.g. phosphate or carbonate) would result in an increase of CO₂ emission
3. The high cost of electrode material is mainly due to the use of platinum, which is used as a catalyst.

B. Future scope

1. We can use DNA mutation to increase bacteria efficiency, thus increasing the rate of decomposition.
2. Along with the generation of electricity we can also use MFC to produce Hydrogen fuel.
3. Due to the expensive platinum electrode, we can use cost-effective catalysts such as CoTMPP, iron phthalocyanine, manganese dioxide, activated carbon or nickel powder [16].

VI. CONCLUSIONS

As oil source is exhausted, vitality emergency supported specialists on the planet to consider for elective wellsprings of vitality. In addition, utilizing of non-renewable energy sources may cause ecological contamination. Clean fills, essentially power devices and bio-fuels, as new wellsprings of vitality with no contamination are appropriate substitutions of conventional petroleum products. MFCs are singular sorts of FCs which utilize dynamic biocatalysts, for example, microorganisms or catalysts to produce vitality. MFCs are one of the most up to date advances to deliver vitality from various wellsprings of substrates. In light of the

**International Journal of Engineering Research in Electronics and Communication
Engineering (IJERECE)
Vol 5, Issue 6, June 2018**

guarantee of economical vitality age from various substrates, for example, natural squanders, explore has been heightened in this field over the most recent couple of years. MFCs have distinctive applications in light of created control. In spite of the fact that MFCs are a promising innovation for sustainable power source generation, they confront a few difficulties, too. For example, they have low levels of energy thickness, scale-up attainability, high cost of part materials, and expansive inside protection. In the creator's assessment, mixes of MFCs or MECs with other high esteem side-effects producing forms have a brilliant future in supportable vitality investigation.

VII. ACKNOWLEDGMENT

The authors would like to acknowledge Dean Dr. A. Srinivas, Dayananda Sagar University, Bangalore for his valuable guidance. They would like to thank Dr. Vaibhav A.M, Head, Department of Electronics and Communication Engineering for their co-operation and support.

REFERENCES

- [1] SustainableEarth
<https://sustainableearth.biomedcentral.com/>
- [2] Current Population is Three Times the Sustainable Level.http://www.worldpopulationbalance.org/3_times_sustainable
- [3] "WorldFootprint". Global Footprint Network. Accessed September 2017.
footprintnetwork.org/en/index.php/GFN/page/world_footprint/
- [4] 4 Ways Tiny Microbes Changed Life on Earth Forever. Sarah Zhang. 4/07/14.
- [5] Microbial fuel cell as new technology for bioelectricity generation: A review. Author links open overlay panel MostafaRahimnejadab ArashAdhamiab SoheilDarvariab AlirezaZirepourab Sang-EunOhc
<https://doi.org/10.1016/j.aej.2015.03.031>
- [6] Journal of Microbial & Biochemical Technology
Citation: Parkash A (2016) Microbial Fuel Cells: A Source of Bioenergy. J Microb Biochem Technol 8:247-255.
doi:10.4172/1948-5948.1000293.
- [7] Microbial Fuel Cells: Generating Power from Waste. Illumin March14,2018 ,Volume XVIII Issue II.
- [8] Aelterman P, Rabaey K, Pham HT, Boon N, Verstraete W (2006) Continuous electricity generation at high voltages and currents using stacked microbial fuel cells. Environ Sci Technol 40: 3388-3394.
- [9] Aelterman P (2009) "Microbial fuel cells for the treatment of waste streams with energy recovery" Ph.D. Thesis, Gent University, Belgium.
- [10] Dewan A, Donovan C, Heo D, Beyenal H (2010) Evaluating the performance of microbial fuel cells powering electronic devices. J Power Sources 195: 90-96.
- [11] Du Z, Li H, Gu T (2007) A state of the art review on microbial fuel cells: A promising technology for wastewater treatment and bioenergy. Biotechnol Adv 25: 464-482.
- [12] School of Biotechnology, Banaras Hindu University, Varanasi, India Department of Microbiology, Central University of Rajasthan, Kishangarh, Ajmer, India.
- [13] Logan BE (2009) Exoelectrogenic bacteria that power microbial fuel cells. Nat Rev Microbiol 7: 375-381.
- [14] Mercer (adapted from Microbe Magazine)/Reprinted with permission from the American Society for Microbiology (Microbe, January 2006, p. 20-24).
- [15] "MURI Public Outreach: How Does an MFC Work?" MURI: Microbial Fuel Cell Project. Internet: <http://mfc-muri.usc.edu/public/how.htm>. [Feb. 28, 2010].
- [16] H. Liu. R. Ramnarayanan. B. E. Logan. "Production of Electricity during Wastewater Treatment Using a Single Chamber Microbial Fuel Cell." Environmental Science & Technology, vol. 38, iss. 7, pp. 2281-2285, 2004.