

More fast and safely react mechanism for producing antibody proteins using electrical conductivity and magnetic susceptibility for Coronavirus

^[1]Manikanta V

^[1]SRP in CIIL, Mysore, Karnataka, India and Research Scholar in Bharathiar University, Coimbatore, Tamilnadu.

Abstract: - Many scientists are considered that people are recovered from antibodies and immunity strength. The antibodies are not produced Y shaped protein due to several molecular traffics then coronavirus appears to be Positive. From this phenomenon, Electrical conductivity and magnetic susceptibility of natural ingredient chemicals are used to produce Y shaped protein to protect from coronavirus. Antibody and antigen molecular forces are involved weak and non specific of electrostatic forces, hydrophobic interactions, etc. The antigen-specific (Ab) or B cell antigen receptor are mainly involved to immune system for cells activities of molecular force. Both electric and magnetic forces of negatively and positively charged cells are mainly involved to thinning of the viruses. The integrated of electrically, magnetically and chemical properties of natural ingredient chemicals with their RDA factors are used to resolve coronavirus. While observing many patients are different categories of diseases along with many diseases and medicine is required to involve effective structure representations are required immediately. People are recovered through antibodies to destroy all of the viruses. The antiviral chemicals are not produce proteins from body and are chemicals proteins not reaching effectively for functionality of cells fast and destroy the virus automatically without side effects and overdose. So, from this all phenomenon, electrical conductivity and magnetic susceptibility of the natural chemical compounds are easily pass through the cells and turns the viral shape and destroy that automatically.

Key Words: Coronavirus, Electrical conductivity, Magnetic Susceptibility

INTRODUCTION

Coronaviruses are normally it appears common cold with a group of viruses. Some of the coronavirus spread via the airway and its effects to bronchitis or pneumonia. Coronaviruses are 26000 to 32000 lengths of large single stranded genomes of RNA bases. Coronaviruses are occupied by spherical shape with club-shaped spikes of fatty outer layer while seeing with microscope.

Coronavirus Types

a) Human Coronavirus Types:

Viruses are the world commonly gets infected human Coronaviruses 229E, NL63, OC43 and HKU1. The alpha coronaviruses are 229E, NL63 and beta coronaviruses are OC43 and HKU1.

b) Other human Coronavirus:

In respiratory syndrome atleast two types of human coronavirus- Severe Acute Respiratory Syndrome (SARS-COV) and Middle East Respiratory Syndrome (MERS-COV). In 2002-03, SARS-COV first evolved from unusual

pneumonia at Guangdong., China which damaged to respiratory system throughout the large cases. The viruses are immediately spread across 29 Countries. Initially, more than 8000 people are suffered and 800 people was died. In 2012, MERS-COV is emerged at Saudi Arabia and the people are suffered with respiratory system and death rate is increased 34% of SARS-COV spread with similar features.

In 2019, SARS and MERS were occurred in China, Wuhan with respiratory cases. The Coronavirus transmitted one person to another from animals. The SARS-COV are occurred from bats to palm and infecting between humans and MERS-COV infection who was affected people from dronedary camels in the sources of animal. The lot of cases arises back to a large seafood and animal market in Wuhan. The new virus is specified the name as Coronavirus which is called as Covid-19.

Coronavirus are effected to cause breathing difficulties, fever, diarrhoea and pneumonia. Other can cause mild common cold. The Covid-19 spread over from china to other

countries all over the world. The coronavirus possibility of transmitted from bats to humans or snakes to human mainly from China, Wuhan.

Coronavirus of RNA genomic replicate from enzymes which is called as RNA-dependent polymerases. Covid-19 mutation process is slow and reducing the changing to become deadly.

Effects of the Coronavirus

Coronaviruses effects breathing problems, cell molecules convert virus. Then each cell molecules destroyed other cell molecules. The force of virus attack other cell molecules are easily spread. While entering to lungs, mucous membrane is swollen then lung cyst will be affected. Circulation of blood requires oxygen to promote all functionalities but oxygen work will be down. For requirement of oxygen, lung cyst is required and more struggle is required. Lungs are filled up liquid then breathing is not possible. So, from this problem of Coronavirus starts with breathing and spreads to other person by sneezing, coughing, etc. The coronavirus effects to other also with nose, mouth and eyes through occupy virus from one person to other. Lung swollen throughout the body oxygen circulation is not possible and it occurs swelling. The less oxygen supplement lungs will be affected and it occupies liquid and pus filled. The active cells of lungs will be destroyed.

Reason and Solution for Coronavirus

a) Strength of functionality cells

Protein molecules are requires enhancing the strength of cells to resist any type of viruses. The functionality of cells increased to avoid lungs safely and their pus. Creating new cells from pre-existing cells.

b) Sensitivity of Organ

Signals and hormones from the brain alert the body. The adrenal gland releases stress hormones into the bloodstream. Cells throughout the body sense that something is happening via their receptors [14]. The sense of cells (eye, nose, tongue, skin) is immediately attracting the viruses.

c) Temperature

The temperature will be increasing in human body automatically when blood cells are effected and viruses are tackled the functionality of cells. When the temperature variation of above 370, it causes fever. The oxygen supplement is essentially required for protecting the cells.

d) Force

The force of antiviral drugs is not much speed than Coronavirus. So, while entering to body, antiviral drug

molecules are failed to spread antiviral agents.

e) Boundary growing approach

The molecules are not spread through the lungs effectively throughout the shape of the coronavirus. Molecules are mainly destroying the outside spike shape like each and every boundary of the viruses and functional cells are created from preexisting cells.

f) Thinner of the virus

Viruses are spherical shaped spike structure of the virus indicates that outside of the layer are protected with spike based structure for while entering drug molecules. So, Drug molecules are necessary to convert the thin and small the virus immediately is required.

g) Attraction and magnetization of molecules

High electric conductivity of conduction electron always makes a large contribution to the binding energy, from this energy used to increase the strength of signal. Drug molecules are attracted to negative to positive charged ions and repulses to same charges ion.

MOLECULAR FORCE

Chemical compounds are required to force for functionality with effectively throughout the body or resist the body depending upon the conditions. Force consists of electric and magnetic mechanism with converting chemical to change features of medical activities. Every drug is depending only electric or magnetic force is applied but not thinking to move both magnetic and electric forces.

Force of the particle with charge q will be in Electric field

$$\text{(Electric Force) } F = qE$$

Force of the charged particle in magnetic field

$$\text{(Magnetic Force) } F = qv \times B = qvB\sin\theta$$

Where ' θ ' is the angle between the magnetic field and the particle, B magnetic vector, ' v ' velocity and ' q ' is charge.

Lorentz Force

The Lorentz force is the combined force of magnetic and electric force together on a charged particle.

$$\text{(Lorentz Force) } F = q[E + vB\sin\theta]$$

Where ' q ' is the charged particle, ' v ' is the velocity, ' E ' is

the Electric field, and 'B' is the Magnetic field.

These types of electromagnetic chemicals are required in medicine processing and no side effects while chemical changes are necessary.

Example of Electrical Conductivity and Magnetic Susceptibility from ingredients for chemical compounds collection based on effective electromagnetic properties [9].

SL No	Name of the ingredient	Electrical Conductivity (mmhos/cm)	Magnetic Susceptibility
1	Clove	10.05	0.83
2	Mace	4.5	1.074
3	Star Anees	8.2	1.278
4	Cinnamon	2.25	1.185
5	Fennel	14	0.849
6	Nutmeg	5.3	1.538
7	Garlic	3.2	0.54
8	Long Pepper	10	0.615
9	Curry Leaves	5.1	0.78

TABLE I Electrical Conductivity and Magnetic Susceptibility of Natural compounds from ingredients

Electrical, Magnetic and Chemical Methods

There are 6 reactions are required for

1) Electrolysis method (Reaction 1)

Using electrolysis method of fused mixture of (CaCl₂) and CaF₂. The output positively charged ions of Ca and negatively charged ions of Cl₂.

2) Antiviral for thinning viruses (Reaction 2)

Add powdered contents of chemicals sequentially by 5mg of Calcium peroxide (CaO₂), 10mg of Cinnamic acid (C₉H₈O₂), 5mg Lactic acid (C₃H₆O₃), 10mg of Folic Acid (C₁₉H₁₉N₇O₆), 15mg of Allicin (C₆H₁₀O₂S₂), 10mg of Gingerols (C₁₇H₂₆O₄), 10mg of Oleanolic Acid(C₃₀H₄₈O₃), 10mg of Myristicin(C₁₁H₁₂O₃) and then apply 10ml of Eugenol (C₁₀H₁₂O₂). Later dry for 2 minutes

3) Spread more antiviral effects (Reaction 3)

Add powdered contents of chemicals 15mg of 9-octadecenoic acid (C₁₈H₃₄O₂), 5mg of Piperine(C₁₇H₁₉NO₃), 15mg of Quercetin(C₁₅H₁₀O₇), 5mg of Undecanoic acid (C₁₁H₂₂O₂), 5mg of Curcumin (C₂₁H₂₀O₆), 10mg of Girinimbine(C₁₈H₁₇NO) and then apply 10ml of Cineole(C₁₀H₁₈O) later mixed with 20mg of Phyllunthus emblica powder.

Reaction 2 is added Reaction 1 of positively charged solution.

Reaction 3 is added Reaction 1 of negatively charged solution.

Finally integrated to all the chemicals to make a tablet or injection.

Most of the compounds are natural ingredient chemicals (electrical conductivity and magnetic susceptibility) and easily support for any antiviral medicine to make fast and safely remove viruses.

Biological activities

A small amount of Calcium peroxide makes oxygenation of water bodies. Calcium peroxide is a solid chemical used as a source of oxygen or hydrogen peroxide. When treated or dissolved in acids, calcium peroxide forms hydrogen peroxide. [16]

Decomposition Temperature	> 527°F (275°C)
Bulk Density	28 – 34 lbs./ft ³ (450-550 kg/m ³)
Flash Point	Non- flammable
Solubility in Water	1.65 g/L @ 68°F (20°C)
pH	11.7 (1% aqueous suspension)

Calcium peroxide reacts with 9-octadecenoic acid [10] through reaction 6 and it produces oxygenation of water bodies of protein molecules (inhibitor) from 9-octadecenoic acid and converts into inhibitor and without this procedure 9-octadecenoic is not inhibitor with oxygenation. Decompose chemical of calcium peroxide is removed from electrolysis method. A protein synthesis inhibitor is a substance that stops or slows the growth or proliferation of cells by disrupting the processes that lead directly to the generation of new protein [17].

Folic acid helps your body produce and maintain new cells, and also helps prevent changes to DNA that may lead to cancer. As a medication, folic acid is used to treat folic acid deficiency and certain types of anemia (lack of red blood

cells) caused by folic acid deficiency [19].

Electrical conductivity of Cinnamic acid, Lactic acid (alcoholic), Allicin, Gingerols, Oleanolic Acid, Myristicin are mainly involved to effects the Temperature and electrical properties [9].

Eugenol is to protect long time to stay electrical properties during chemical reactions.

Magnetic Susceptibility [9] of Piperine, Quercetin, Undecanoic acid, Curcumin, Girinimbine are mainly involved to spread molecules are attracted to negative to positive charged ions and repulses to same charges ion.

Cineole is to protect long time to stay magnetic properties during chemical reaction.

Phyllanthus emblica powder is to increase the immunity of 9-octadecenoic acid while integrate of electric and magnetic properties. So, from this the force of the molecules involved electromagnetic properties.

PROBABILISTIC RESULTS

Using electrolysis method, electrical conductivity of the protein molecules to stay for long times to prevent functional cells. Two types of reactions are electrical conductivity of the reaction is easily thinner the virus shape and another spread the reaction to immediately by magnetic susceptibility method to molecules movement to correct path and force. Electromagnetic forces are effective than virus force and it's safely remove the viruses effectively and efficiently.

CONCLUSION

Please note formulating tablet or injection is essential follows the rules of the FDA for several clinical trials are required. My assumption is small amount of natural compounds do not have side effects. Deliveries of large viruses of corona viruses to pass into the cells are crucial step to avoid using method of medicinal chemistry. Natural ingredients with magnetic, electric and chemical properties are required to removal corona virus with mining of clinical properties of mathematical observations. The preparation of tablet or injection is required to follow the FDA rules.

ACKNOWLEDGMENTS

The author thanks to encourage from Dr. L R Premkumar, CIIL and Vice Chancellor, University of Mysore, Mysore for his encouragement in undertaking this study for Research & Development.

REFERENCES

- [1] Herrmann JM, and Spang A. Intracellular parcel service: current issues in intracellular membrane trafficking. *Methods Mol. Biol.* 2015;1270:1-12.
- [2] Faini M, Beck R, Wieland FT, and Briggs JAG. Vesicle coats: structure, function, and general principles of assembly. *Trends Cell Biol.* 2013;23(6):279-88.
- [3] Anitei M and Hoflack B. Bridging membrane and cytoskeleton dynamics in the secretory and endocytic pathways. *Nat. Cell Biol.* 2011; 14(1):11-9.
- [4] Bonifacino JS and Glick BS. The mechanisms of vesicle budding and fusion. *Cell* 2004; 116(2):153-66.
- [5] Hirokawa N, Noda Y, Tanaka Y, and Niwa S. Kinesin superfamily motor proteins and intracellular transport. *Nat. Rev. Mol. Cell Biol.* 2009;10(10):682-96.
- [6] Porat-Shliom N, Milberg O, Masedunskas A, and Weigert R. Multiple roles for the actin cytoskeleton during regulated exocytosis. *Cell. Mol. Life Sci.* 2012; 70(12):2099-121.
- [7] Priyanka Jadhav, Natasha Kapoor, Becky Thomas, Hingorani Lal, and NilimaKshirsagar. Antiviral Potential of Selected Indian Medicinal (Ayurvedic) Plants Against Herpes Simplex Virus 1 and 2. *North American Journal of Medical Sciences*, 641-647(7), 2012.
- [8] Sara Burt. Essential oils: their antibacterial properties and potential applications in foods-a review. *International Journal of Food Microbiology*, 223-253, 2004.
- [9] Samson K Baby and Girish T E. On the electrical and magnetic properties of some Indian spices.
- [10] P. M. Aja, N. Nwachukwu, U. A. Ibiam, I. O. Igwenyi, C. E. Offor, U. O. Orji, Chemical Constituents of Moringaoleifera Leaves and Seeds from Abakaliki, Nigeria
- [11] Books & Book Chapters
- [12] K. V Peter. Handbook of Herbs and Spices Volume 3. Woodhead Publishing in Food Science, Technology and Nutrition.
- [13] Dr. H.K. Bakhru. Healing through Natural Foods JAICO, 2000.
- [14] Arun K Pujari, Data Mining Techniques, University press. 2001.
- [15] Online Sources
- [16] 14. Research Express@NCKU - Commentary (Volume 23 Issue 4) [Internet].

Available:

<http://research.ncku.edu.tw/re/commentary/e/20130208/3.html>

[17] <https://www.drugbank.ca/drugs/DB06759>

[18] <https://www.solvay.us/en/binaries/PSS-Calcium-Peroxide-164343.pdf>

[19] https://en.wikipedia.org/wiki/Protein_synthesis_inhibitor

[20] <https://www.mdpi.com/journal/molecules>

[21] https://www.drugs.com/folic_acid.html

[22] <https://www.spandidos-publications.com/10.3892/etm.2019.8388>

